

SWEDISH TECHNICAL APPROVAL 0061/02

and decision on production control in accordance with 18-20 § Law (1994:847) on technical specification requirements for construction work, etc., BVL

KEY WORD: RAINWATER
pipes and fittings
other pipes and fittings

WIJO ROOF DRAINAGE

Holder	WIJO AB, Box 26, SE 893 21 Bjästa, phone: +46 660-26 65 80, fax: +46 660-22 13 20, e-mail: info@wijo.se, website: www.wijo.se, VAT. no: 556509-7507	
Product	Roof drainage system made of galvanised pre painted sheet steel or aluzink coated sheet steel. Guttering made of 0,6 mm and pipes of 0,6 - 0,7 mm hot dip galvanised sheet steel or aluzink coated sheet steel. The gutter hooks are made of 1,25 mm hot dip galvanised sheet steel or aluzink coated sheet steel. The hot dip galvanised sheet steel is protected by an approx. 70 my, (35 my both sides), thick layer of polyester based coating, HBP.	
Intended use	Collecting and draining rainwater from roofs.	
Approval	The products satisfy the requirements set forth in 2 § 3 BVL, in respect to and under conditions stated in this certificate, and are therefore approved in accordance with the provisions of the following sections of the Building Regulations issued by the National Board of Housing, Building and Planning (BBR)	
	Installation of surface water drainage	6:642, 1 st paragraph
	Desing	6:644, 1 st sentence
Appurtenant Documents	"WIJO Roof drainage with class", product catalog, 24 pages.	
Control	Production control is to be performed in accordance with instructions for control dated 2000-10-06 and 2007-03-01 and registration number 100-94-0141. An independent third-party body, SP Technical Research Institute of Sweden, audits the control.	
	When the building proprietor performs inspection at the building site, he shall check the markings to ensure that the correct products have been supplied and that they are used in accordance with requirements stated in the approval and the appurtenant documents. He must also check that the product is accompanied by a manufacturing assurance, which certifies that the product has been manufactured in accordance with the documents on which this certificate is based.	

Manufacturer	Production control includes the following site: WIJO AB, Bjästa
Marking	The products are to be marked at the factory. The marking consists of a label on every package supplied and includes: Approval holder/Manufacture site Boverket's registered trademark SITAC's accreditation number Product type designation Approval certificate number Material Inspection body
Basis for approval	Reports no. P700186 and P700186A from SP Technical Research Institute of Sweden
Comments	The products or parts of them have been designed in compliance with SS-EN 612 and SS-EN 1462. This approval supersedes previous certificate with the same number dated 2007-04-25 and Reg. No. T200061-01.
Period of validity	This approval is valid until 2012-04-24. The formal validity of an approval expires after the transitional period for the harmonised specification that makes it possible to CE-mark the product. However, the technical assessment showing that the product fulfils the requirements in the building regulations, issued by the Swedish National Board of Housing, Building and Planning, is not affected.

Wijo AB, Bjästa



SITAC 1422

Resp. product designation

0061/02

Steel+zink+HBP

or Aluzink

SP



Ronald Green



Ingvar Pettersson