

Roof Drainage



Hello roofers!

If there is anything we at Wijo appreciate, it is the constant weather changes – summer rainfall, autumn storms, winter snow and the melting in spring. And even if it's dark during the winter - especially here in the North -, the summer offers lots of light.

All four seasons are equally important for us, working with roof drainage. We want to see with our own eyes that our products really are of top quality - that the steel plate keeps its shape and that the coating keeps its colour - month after month, year after year, no matter what the weather is like.

And to keep the weather just as it is - beautifully rainy and snowy and wet - we do our best to take care of the environment in our production processes. Because we love rain!



Mikael Pettersson, VD

Wijo AB
Bjästa













Always a part that fits

Since we only make roof drainage, we can focus on constantly developing and refining our products. From us, you can always find the parts you need, and you can be sure that the parts are well adapted to fit together.

We manufacture all components from galvanized high strength steel sheet – Prelaq Nova from Swedish steel manufacturer SSAB – which has a coating of HBP. This means that they withstand wind, sunshine and corrosion so well that we can offer a warranty covering corrosion, paint flaking and mechanical strength for up to 15 years. Of course, all parts fulfil the highest quality standard according to the European standards, EN 612 and EN 1462.

Despite its long lifetime the gutters do not need any special maintenance, except cleaning from leaves etc. and washing every now and then. And since the gutter hooks, gutters and down pipes are all made of the same material they will age in the same beautiful way, without any colour change.

Colours

-  **Black 015**
NCS S 9000-N
RAL 9017
-  **White 001**
NCS S 1002-G50Y
RAL 9002
-  **Brown 387**
NCS S 8005-Y80R
RAL 8019
-  **Brown 434**
NCS S 7010-Y70R
RAL 8017
-  **Tile red 742**
NCS S 4040-Y80R
RAL 8004
-  **Red 758**
NCS S 5040-Y80R
RAL 3009
-  **Silver metallic 045**
RAL 9006
-  **Dark silver metallic 044**
RAL 7037
-  **Grey 087**
NCS S 7005-B20G
RAL 7043
-  **Aluzinc**





Everything hangs on the hook

Of all our roof drainage products we have to say that we are most proud of our gutter hooks - they are the heroes holding up everything else.

Moreover, they differ from other hooks in some quite important ways.

Keeps colour

The hook has the same coating as the gutter and is pressed into its shape. Therefore the colour does not crack when bending it, which often happens when bending a painted hook. Moreover, it ages in the same worthy way as the gutter does.

Keeps shape

When other hooks are permanently bent by snow, ladders or other loads, the Wijo hook returns to its original shape as soon as the load is taken off.

Keeps speed

With the adjustable gutter hook you work faster. You don't have to break up the roof, you don't need to measure and bend the hooks and you don't have to re-build the roof. Just mount the hook on the fascia board. Ready!



Q+S-HOOKS (QUICK & SECURE) ARE IDEAL WHEN THE FASCIA BOARD IS STRAIGHT, FOR EXAMPLE NEWLY BUILT HOUSES, AND THEY ARE OFFERED AT A LOWER PRICE.

HOOKS WITH CLAMPS ARE SUITABLE WHEN THE FASCIA BOARD IS NOT EXACTLY STRAIGHT. YOU CAN THEN ADJUST THE GUTTER ON THE BACKSIDE TO MAKE IT FIT CORRECTLY.

SHORT HOOKS ARE MOUNTED ON THE FASCIA BOARD. THE SAME APPLIES FOR THE 70MM HOOK AND THE 27°-HOOK.

		DIMENSION (MM)	PIECES/BOX	PRODUCT CODE
a	Gutter hook 320 mm	125	50	x096x0
		150	50	x196x0
a	Gutter hook 210 mm	100	50	x410x0
		125	50	x010x0
		150	40	x110x0
a	Gutter hook 160 mm	100	70	x409x0
		125	70	x009x0
		150	50	x109x0
a	Gutter hook 70 mm	100	80	x408x0
		125	80	x008x0
		150	50	x108x0
a	Gutter hook 60 mm	100	80	x411x0
		125	80	x011x0
		150	50	x111x0
c	Gutter hook 27°	100	60	x432x0
		125	60	x032x0
		150	50	x132x0
b	Gutter hook 320 mm	125	50	x096x1
		150	50	x196x1
b	Gutter hook 210 mm	100	50	x410x1
		125	50	x010x1
		150	40	x110x1
b	Gutter hook 160 mm	100	70	x409x1
		125	70	x009x1
		150	50	x109x1
b	Gutter hook 70 mm	100	80	x408x1
		125	80	x008x1
		150	50	x108x1
b	Gutter hook 60 mm	100	80	x411x1
		125	80	x011x1
		150	50	x111x1
d	Gutter hook 27°	100	60	x432x1
		125	60	x032x1
		150	50	x132x1
e	Compact hook	100	50	x4130x
		125	50	x0130x
f	Gutter hook with attachment device	150	50	x1131x
g	Adjustable gutter hook	100	40	x495x0
		125	40	x095x0
		150	24	x195x0

The **securing plate** in the front end of the gutter hook is **extra strong**. This means that the gutter is **firmly fastened** and can **manage** both **ladders and snow**.



OUR **GUTTERS'** STANDARD LENGTHS ARE 2, 2.5, 3, 4, 5 AND 6 METERS. CONTACT US FOR CUSTOMISED LENGTHS.

* 5 and 6 m - 3 pcs/pack

OUR **DOWN PIPES'** STANDARD LENGTHS ARE 2, 2.5, 3, 4, 5 AND 6 METERS. CONTACT US FOR CUSTOMISED LENGTHS.

		DIMENSION (mm)	PIECES/PACKAGE	PRODUCT CODE
a	Gutter	100	5*	x401x0
		125	5*	x001x0
		150	4*	x101x0
b	Gutter angle 45° inner	100	5	x402x1
		125	5	x002x1
		150	5	x102x1
b	Gutter angle 45° outer	100	5	x403x1
		125	5	x003x1
		150	5	x103x1
c	Gutter angle 90° inner	100	15	x402x0
		125	15	x002x0
		150	10	x102x0
c	Gutter angle 90° outer	100	15	x403x0
		125	15	x003x0
		150	10	x103x0
d	Gutter joint	100	50	x406x0
		125	50	x006x0
		150	40	x106x0
e	Gutter end UNI	100	50	x407x0
		125	50	x007x0
		150	30	x107x0
f	Down pipe	75	2	x415x0
		87	2	x015x0
		100	2	x215x0
		110	2	x315x0
g	Intermediate pipe, 1 meter	75	20	x415x1
		87	20	x015x1
		100	16	x215x1
		110	12	x315x1
g	Intermediate pipe, 0,5 meter	75	25	x415x9
		87	20	x015x9
		100	14	x215x9
		110	12	x315x9



The **gutter end** can be mounted on both the left and right hand side, with sealant between the gutter and the gutter end. It stays **waterproof** and sits **firmly** in place thanks to the **wide contact surface**.

Shoes and accessories



The screw for stone walls is used for walls which have been **additionally insulated** with styrofoam.

We love rain

	DIMENSION (mm)	PIECES/BOX	PRODUCT CODE
a Gutter outlet	100/75	25	x4160x
	100/87	25	x4161x
	125/75	25	x0160x
	125/87	25	x0161x
	125/100	24	x0162x
	150/75	20	x1160x
	150/87	20	x1161x
	150/100	20	x1162x
	150/110	20	x1163x
b Hopper	75	5	x4260x
	87	5	x0260x
	100	5	x2260x
	110	5	x3260x
c Pipe bend 70°	75	25	x430x0
	87	20	x030x0
	100	16	x230x0
	110	12	x330x0
d Pipe branch	75	12	x414x0
	87	10	x014x0
	100	6	x214x0
	110	6	x314x0
e Pipe wrap for wood	75	100	x420x0
	87	100	x020x0
	100	50	x220x0
	110	50	x320x0
f Pipe wrap for stone	75	50	x421x0
	87	50	x021x0
	100	50	x221x0
	110	50	x321x0
g Nail for stone wall	125	200	000020
	150	200	000021
	175	200	000022
	200	200	000023
	250	100	000024
h Screw for stone wall	210	200	000030
i Shoe	75	25	x4191x
	87	20	x0191x
	100	15	x2191x
	110	10	x3191x
j Drain shoe	75	16	x4192x
	87	16	x0192x
	100	12	x2192x
	110	10	x3192x
k Fold out shoe	75	20	x4193x
	87	15	x0193x
	100	10	x2193x



	DIMENSION (mm)	PIECES/BOX	PRODUCT CODE
a Base elbow	75 87 100	25 16 12	x493x1 x093x1 x293x1
b Drain trap	Universal	20	x022x0
c Drain trap sleeve	Universal	20	x023x0
d Self cleaning drain trap, Lövis	Universal	9	x0290x
e Extension pipe	75 87 100 110	16 16 12 10	x415x8 x015x8 x215x8 x315x8
f Sleeve joint	75 87 100	50 32 32	x440x0 x040x0 x240x0
g Touch-up paint	12 ml Available for all product colours.	1	x088x1
h Strap	Universal	200	x024x0
i Overflow protection, angle	125 150	10 10	x025x1 x125x1
j Overflow protection, straight	125 150	10 10	x025x0 x125x0



When **all parts are fitted tightly**, you do not need to use rivets to make them stay in place.

We love summer rain



We love rain

We love autumn storms



wijo.se

We love the winter's snow



We love the spring's thaw



We love rain



wijo.se



Wijo AB

Box 26
893 21 Bjästa - Sweden
Tel: +46 (0)660-26 65 80
E-post: contact@wijo.se
wijo.se

