

WIJO ROOF DRAINAGE

Holder/Issued to

Wijo AB

Wijo AB, Box 26, SE-893 21 Bjästa, Sweden
VAT number: SE556509750701
Phone: +46 660266580, Fax: +46 660221320
E-mail: info@wijo.se , Web: www.wijo.se

Product description

Roof drainage system made of galvanized (Z275) pre painted steel sheet or aluzinc (AZ185) coated steel sheet. Gutters are made of 0,6 mm and down pipes of 0,6 - 0,7 mm hot dip galvanized steel sheet or aluzinc coated steel sheet. The gutter hooks are made of 1,25 mm hot dip galvanized steel sheet or aluzinc coated steel sheet. The hot dip galvanized steel sheet is protected by an approx. 70 µm, (35 µm both sides), thick layer of polyester based coating, HBP.

Intended use

Collecting and drainage of rainwater and melted snow from roofs.

Trade name

Wijo Roof Drainage

Approval

The product satisfies the requirements in PBL chapter 8, set 4§ points 1 and 3, in respect to and under conditions stated in this certificate, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR) and Boverket mandatory provisions on application of the European construction standards (Eurocodes), (EKS): both issued by the National Board of Housing, Building and Planning.

BBR

Installations for surface water drainage
Design

6:642, 1st paragraph
6:644, 1st sentence

Associated documents

Wijo Monteringsanvisning, dated 2013-09-10.

Control

The factory production control (FPC) is monitored by an independent inspection body.
Control agreement: 100-94-0141, Inspection body: RISE, Research Institutes of Sweden.

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this approval is based.

Type approval 0061/02 | 2018-01-23

RISE Research Institutes of Sweden AB | Certification
Box 857, SE-501 15 Borås, Sweden
Phone: +46 10-516 50 00
certifiering@ri.se | www.ri.se

2017-07-05



7P09116



Manufacturing place

Production control includes the following place:
Wijo AB, Bjästa, Sweden

Marking

The product is to be marked at the factory. The marking consists of a label on every product/packing/documentation supplied and includes:

Holder/ Manufacturing place	Wijo AB, Bjästa
Boverket's registered trade mark	✚
Certification body and accreditation number	RISE Certifiering 1002
Product type designation	Type designation
Type approval number	0061/02
Material	Steel + Zinc + HBP or Aluzinc
Consecutive manufacture no.	no.
Inspection body	RISE

Basis for judgement/approval

Reports PX25225A, P700186 and P700186A from SP Sveriges Tekniska Forskningsinstitut.
Report 6P06266 from RISE, Research Institutes of Sweden.

Comments

The product or parts of them have been designed in compliance with SS-EN 612 and SS-EN 1462.

This approval supersedes the previous approval with the same number dated 2013-01-30.

Validity

Valid through 2023-01-22.

The validity of this approval expires when the characteristics included in this approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Stefan Coric

Kasem Bjelevac

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence.